

MATERIAL SAFETY DATA SHEET

**Quali-Pro® Chlorpyrifos 4E**

Page 1 of 6

**1. IDENTIFICATION**

Product name: **Quali-Pro® Chlorpyrifos 4E**  
 Chemical name of active ingredient(s): Chlorpyrifos: O,O-diethyl-O-(3,5,6-trichloro-2-pyridinyl) phosphorothioate  
 Manufacturer: FarmSaver.com, LLC.  
 4515 Falls of Neuse Road, Suite 300  
 Raleigh, NC 27609  
 Phone: 1-800-979-8994  
 For fire, spill, and/or leak emergencies, contact Chemtrec: Phone: 1-800-424-9300  
 Outside US: 1-703-527-3887  
 For medical emergencies and health and safety inquiries, contact Prosar: Phone: 1-800-308-5391

**2. COMPOSITION/INFORMATION ON INGREDIENTS**

CHEMICAL NAME	CAS NUMBER	%	ACGIH/TLV	OSHA/PEL	OTHER	NTP/IARC/OSHA (Carcinogen)
Chlorpyrifos	2921-88-2	42.5	0.1 mg/m <sup>3</sup> (TWA)	NA	NA	NA
Heavy aromatic petroleum hydrocarbons	64742-94-5	48.7	525 mg/m <sup>3</sup> (TWA)	NA	NA	NA
Contains Naphthalene (% of total)	91-20-3	6.8	52 mg/m <sup>3</sup> (TWA)	50 mg/m <sup>3</sup> (TWA)	NA	NTP – 2* IARC –2B**

\* Substances that may reasonably be anticipated to be carcinogens.

\*\* Substance is possibly carcinogenic to humans.

**3. HAZARDS IDENTIFICATIONS**

**PHYSICAL PROPERTIES**

Appearance: Red liquid  
 Odor: Solvent-type odor

**EMERGENCY OVERVIEW:** WARNING. May be fatal if swallowed. Harmful if absorbed through skin or inhaled. Causes eye irritation. Avoid contact with eyes, skin, or clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating, drinking, or using tobacco.

**SYMPTOMS OF OVER EXPOSURE:** Headaches, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling, muscle spasms and coma

**POTENTIAL HEALTH EFFECTS:**

**Eye:** Irritating, and may injure eye tissue if not removed promptly.  
**Skin:** Harmful if absorbed through the skin. Large exposures could be fatal.  
**Inhalation:** Vapor or mist concentrations may be harmful if inhaled. High concentrations could be fatal.  
**Ingestion:** May be fatal if swallowed.

**POTENTIAL PHYSICAL HAZARDS:** Combustible. Do not use or store near heat or open flame.

**4. FIRST AID MEASURES**

FIRST AID Organophosphate	
<b>IF SWALLOWED:</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Do not give any liquid to a person.</li> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>IF IN EYES:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF ON SKIN OR</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> </ul>

<b>CLOTHING:</b>	<ul style="list-style-type: none"> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>IF INHALED:</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment.</p> <p><b>Note to Physician:</b> This product contains an organophosphate that inhibits cholinesterase. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/ protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration. Contains petroleum distillate. Vomiting may induce aspiration pneumonia.</p>	

**5. FIRE FIGHTING MEASURES**

**FLASH POINT:** 184°F (84.4°C) (TCC)

**FLAMMABLE LIMITS**

LFL: 1%

UFL: 6% (xylene range aromatic solvent)

**EXTINGUISHING MEDIA:** Foam, CO<sub>2</sub>, dry chemical

**FIRE & EXPLOSION HAZARDS:** Foam fire extinguishing system is preferred because uncontrolled water can spread possible contamination. Toxic, irritating gases may be formed under fire conditions. Rapid decomposition above 320-392°F (160-200°C) can occur. Violent rupture due to over-pressurization may occur at temperatures generated during a fire.

**FIRE-FIGHTING EQUIPMENT:** Use positive-pressure self-contained breathing apparatus and full protective clothing.

**6. ACCIDENTAL RELEASE MEASURES**

**ACTION TO TAKE FOR SPILLS/LEAKS:** Clean up spills immediately, using precautions described in Section 8. Isolate hazard area. Keep unnecessary and unprotected personnel from entering.

**Small Spill:** Absorb spill with inert material such as dry sand, vermiculite or fuller's earth, then place in a chemical waste container. Rinse area with dilute soda ash and place rinsate into chemical waste container.

**Large Spill:** Same as for small spills; may neutralize with dilute alkaline solutions of soda and ash and place into chemical waste container. Do not allow material to run off into soil, drainage systems, or bodies of water. Notify and consult with proper regulatory authorities.

**7. HANDLING AND STORAGE**

**PRECAUTIONS TO BE TAKEN IN HANDLING:** Keep container closed when not in use. Handle and open container in a manner as to prevent spillage. Do not contaminate water, food or feed by storage, disposal or by cleaning equipment. Do not reuse empty container. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated in Section 13.

**PRECAUTIONS TO BE TAKEN IN STORAGE:** Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not contaminate water, food or feed by storage or disposal.

**STORAGE TEMPERATURE (MIN/MAX):** Do not store above 100°F for extended periods of time. Storage below 20°F may result in the formation of crystals. If product crystallizes, store at 50-70°F and agitate to re-dissolve crystals.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.**

**FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.**

**EYE PROTECTION:** Use chemical goggles. If vapor exposure causes eye discomfort, use a NIOSH approved full-face respirator.

**SKIN PROTECTION:** Wear coveralls over long-sleeved shirt and long pants, chemical-resistant footwear plus socks, chemical-resistant apron when mixing or loading or exposed to the concentrate, and chemical-resistant headgear for overhead exposure.

**HAND PROTECTION:** Chemical-resistant gloves, such as barrier laminate or butyl rubber ≥14 mils.

**RESPIRATOR REQUIREMENTS:** Atmospheric levels should be maintained below the exposure guidelines. When respiratory protection is required, use a NIOSH approved respirator with any R, P, or HE filter.

**ENGINEERING CONTROLS:** Use only with adequate ventilation. Local exhaust ventilation may be necessary for some operations. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**ADDITIONAL PROTECTIVE MEASURES:** Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS:**

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove clothing immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**EXPOSURE GUIDELINES:** Refer to Section 2.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE:** Red liquid

**ODOR:** Solvent-type odor

**FLASH POINT:** 184°F (84.4°C)

**MOLECULAR WEIGHT:** 350.5

**MOLECULAR FORMULA:** C<sub>9</sub>H<sub>11</sub>Cl<sub>3</sub>NO<sub>3</sub>PS

**BOILING POINT:** 290°F (143°C) (solvent)

**pH:** 3.8

**VAPOR PRESSURE:** <10 mmHg @ 25°C

**SOLUBILITY IN WATER:** Emulsifiable

**SPECIFIC GRAVITY:** 1.079

**DENSITY:** 9.4 lbs/gallon

**10. STABILITY AND REACTIVITY**

**CONDITIONS TO AVOID:** Avoid heating above 60°C (100°F). Chlorpyrifos undergoes exothermic decomposition at approximately 130°C (266°F), which can lead to higher temperatures and violent decomposition if generated heat is not removed. Contains petroleum derivative solvent-will burn.

**SPECIFIC MATERIALS TO AVOID:** Strong alkalis, amines and oxidizers.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Under fire conditions, hydrogen chloride, ethyl sulfide, diethyl sulfide and nitrogen oxides can be formed.

**HAZARDOUS POLYMERIZATION:** Not known to occur.

**11. TOXICOLOGICAL INFORMATION**

**ACUTE TOXICITY/IRRITATION STUDIES**

Acute Oral LD50 (Rat):	776 mg/kg (males); 300 mg/kg (females)
Acute Dermal LD50 (Rat):	>5,000 mg/kg
Acute Inhalation LC50 (Rat):	2.7 mg/L (4-hr)
Eye Irritation (Rabbit):	Moderately irritating.

Dermal Irritation (Rabbit): Moderately irritating.  
Dermal Sensitization (Guinea Pig): Not a skin sensitizer

**EYE:** May cause moderate eye irritation and/or corneal injury. Vapors may irritate the eyes.

**SKIN:** A test in guinea pigs indicated that this product may have weak skin sensitization potential. However, experience in the manufacture and use of this product has not provided evidence for skin sensitizing properties. The product did not sensitize human subjects when tasted at an end-use dilution. A single prolonged exposure, is not likely to result in the material being absorbed through the skin in harmful amounts.

**INGESTION:** Single dose oral toxicity is moderate. Small amounts swallowed incidental to normal handling operations are not likely to cause injury; however, swallowing larger amounts may cause lung damage or death due to chemical pneumonia.

**INHALATION:** Excessive exposure may produce organophosphate-type cholinesterase inhibition. Excessive vapor concentrations are attainable and could be hazardous on single exposure. Excessive exposure to solvent may cause respiratory irritation and central nervous system depression. Signs and symptoms of central nervous system depression are in order of increasing exposure, headache, dizziness, drowsiness, and incoordination.

**SYSTEMIC (OTHER TARGET ORGAN EFFECTS):** Excessive exposure may produce organophosphate-type cholinesterase inhibition. Signs and symptoms of excessive exposure to chlorpyrifos may be headache, dizziness, incoordination, muscle twitching, tremors, nausea, abdominal cramps, diarrhea, sweating, pinpoint pupils, blurred vision, salivation, tearing, tightness in chest, excessive urination, convulsions. Chlorpyrifos produced mild adrenal effects when fed to rats, but only at doses that greatly exceeded any exposures that would be received during normal use of this product. Solvent has been reported to cause liver, kidney, and blood effects at high exposure levels.

**CANCER INFORMATION:** Chlorpyrifos did not cause cancer in laboratory animals.

**TERATOLOGY (BIRTH DEFECTS):** Chlorpyrifos did not cause birth defects in laboratory animals. Solvent was toxic to the fetus in laboratory animal tests, but only at doses that were toxic to the mothers. Very high concentrations of solvent (producing severe toxicity to adult animals induced an increase in cleft palate in mice, which is a common developmental abnormality in mice and is associated with stress to the maternal animals. No malformations were induced at exposures less than those causing severe toxicity to the adult animals.

**REPRODUCTIVE EFFECTS:** Chlorpyrifos did not interfere with fertility in reproduction studies in laboratory animals.

**MUTAGENICITY (EFFECTS ON GENETIC MATERIAL):** Results of in-vitro ("test tube") and animal mutagenicity tests on the aromatic solvent have been negative. Based on a majority of negative data and some equivocal or marginally positive results, chlorpyrifos is considered to have minimal mutagenic potential.

## 12. ECOLOGICAL INFORMATION

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish, aquatic invertebrates, small mammals, and birds. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment washwater or rinsate. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

### ENVIRONMENTAL FATE

**MOVEMENT & PARTITIONING:** Based on information for chlorpyrifos and components of aromatic hydrocarbons. Bioconcentration potential is moderate (BCF is between 100 and 3000 or Log Pow between 3 and 5).

**DEGRADATION & PERSISTENCE:** Based on information for chlorpyrifos.

The photolysis half-life in water is 3-4 weeks.

Tropospheric half-life is estimated to be 1.4 hours.

Degradation is expected in the soil environment within days to weeks.

Under aerobic soil conditions the half-life is generally 30-60 days.

Based on information for components of aromatic hydrocarbons.

Biodegradation under aerobic static laboratory conditions is high (BOD<sub>20</sub> or BOD<sub>28</sub>/ThOD >40%).

### ECOTOXICOLOGY:

#### Chlorpyrifos:

Material is very highly toxic to aquatic organisms on an acute basis (LC<sub>50</sub>/EC<sub>50</sub> <0.1 MG/L in most sensitive species).

Material is highly toxic to birds on a dietary basis (LC<sub>50</sub> between 50 and 5000ppm).

Material is moderately toxic to birds on an acute basis (LD<sub>50</sub> is between 51 and 5000 mg/kg).

**Heavy aromatic petroleum hydrocarbons:**

Material is moderately toxic to aquatic organisms on an acute basis (LC<sub>50</sub>/EC<sub>50</sub> is between 1 and 10 mg/L in most sensitive species).

Material is practically non-toxic to birds on a dietary basis (LD<sub>50</sub> is >5000ppm).

Material is practically non-toxic to birds on an acute basis (LD<sub>50</sub> is >2000mg/kg).

**13. DISPOSAL CONSIDERATIONS**

**PESTICIDE DISPOSAL:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state pesticide or environmental control agency or the hazardous waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL FOR REFILLABLE CONTAINERS:** Replace the dry-disconnect cap, if applicable, and seal all openings that have been opened during use. Return the empty container to a collection site designated by Makhteshim-Agan of North America Inc. (MANA). If the container has been damaged and cannot be returned according to the recommended procedures, contact the MANA Customer Service Center at 1-212-661-9800 to obtain proper handling instructions.

**CONTAINER DISPOSAL FOR NON-REFILLABLE CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Or, triple rinse (or equivalent). Then puncture and dispose in a sanitary landfill, or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**14. TRANSPORT INFORMATION**

**DOT CLASSIFICATION:**

UN3018, Organophosphorus pesticide, liquid, toxic (chlorpyrifos 42.5%), 6.1, PG III, RQ.

(Add "Marine Pollutant" for bulk or vessel shipments.)

**INTERNATIONAL TRANSPORTATION**

**IMO (vessel):** UN3018, Organophosphorus pesticide, liquid, toxic (chlorpyrifos 42.5%), 6.1, PG III, RQ, Marine pollutant

**IATA (air):** UN3018, Organophosphorus pesticide, liquid, toxic (chlorpyrifos 42.5%), 6.1, PG III, RQ.

**15. REGULATORY INFORMATION**

**NOTICE:** The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with federal, state, or provincial, and local laws. The following specific information is made for the purpose of complying with numerous federal, state, or provincial, and local laws and regulations.

**SARA TITLE III CLASSIFICATION:**

Section 302: Not applicable.

Section 311/312: Acute health hazard (immediate)

Chronic health hazard (delayed)

Fire hazard

Section 313: Naphthalene (6.8%) CAS#: 91-20-3

**CA PROPOSITION 65:** This product contains a material (naphthalene) known to the State of California to cause cancer.

**CERCLA RQ:** Chlorpyrifos RQ=1 lbs.

**RCRA CLASSIFICATION:** Under RCRA, it is the responsibility of the product user to determine at the time of disposal, whether a material containing the product or derived from the product should be classified as a hazardous waste.

**TSCA STATUS:** Not applicable

**16. OTHER INFORMATION**

MATERIAL SAFETY DATA SHEET

**Quali-Pro® Chlorpyrifos 4E**

Page 6 of 6

<b>NFPA HAZARD RATINGS</b>	<b>NFPA</b>		
<b>HEALTH:</b>	2	0	MINIMAL
<b>FLAMMABILITY:</b>	2	1	SLIGHT
<b>REACTIVITY:</b>	1	2	MODERATE
		3	HIGH
		4	SEVERE

**MSDS DATE:** 6-30-08. Supersedes version dated 10-11-07. Change made to Section 14.

The information herein is given in good faith, but no warrant, express or implied, is made. Consult FarmSaver.com, LLC. for further information.